



3299 North Wellness Drive
Building C Suite 240
Holland, Michigan
49424

phone 616.738.4420
fax 616.738.4432

Discharge Instructions Cervical Laminectomy or Laminotomy

Name: _____

David W. Lowry, MD, PC
Scott M. Tuinstra, PA-C,
MS *Neurosurgery*

Medications:

- Take any medications only as directed.
- If you experience constipation while taking a narcotic pain reliever, begin using an over-the-counter laxative.
- Use a muscle relaxant to prevent muscle spasms or severe muscle tightness.
- If you were taking Aspirin or Plavix prior to surgery, you may resume these medications on the third day after the procedure., unless directed otherwise by your physician.

Diet:

- Resume whatever diet you were on before surgery (e.g., unrestricted, diabetic, low sodium, etc.)

Activity:

- Avoid pushing/pulling and lifting over 15 lbs. for four weeks.
- Walking is a good exercise. Go for at least four short walks a day, even if inside your home.
- You may remove your Ted Hose stockings once you are consistently walking four times a day.
- Do not drive if you cannot comfortably turn your head side to side or if you have had any pain medication within four hours. You may ride in a car as a passenger as much as you tolerate.
- Provided that the above restrictions are observed, you may engage in other activities, including sexual intercourse, that do not result in worsened pain either at the time of the activity or the following morning.

Wound Care:

- Call the office if you have drainage from your wound, separation of wound edges, or increased pain, redness or swelling.
- Call the office if you have an elevated temperature (101 F or greater).
- You may shower at any time, but do not soak the incision in a tub or pool for 10 days after surgery. Dry the incision by blotting, not rubbing.
- You do not need to keep a dressing on the wound.
- If you have steri-strips on, leave them on for 10 days after surgery. If their edges curl up, you may trim carefully with scissors. If they fall off early, don't worry. Re-absorbable sutures are beneath the skin edges and will continue to support the incision while it heals.
- If you have sutures or staples visible over the skin, please contact the office to schedule an appointment for their removal approximately ten days after surgery.

Follow-up: Date: _____ Time: _____ With: David W. Lowry, MD
 Scott M. Tuinstra, PA-C